

AGRICULTURE ATTACHMENTS

TACKLE MORE TASKS WHILE MITIGATING COSTS WITH YOUR CAT® MACHINE.

Cat Skid Steer Loaders, Multi Terrain Loaders, Compact Track Loaders, Compact Wheel Loaders, Backhoe Loaders, Small Wheel Loaders, Mini Excavators and Telehandlers



BUILT FOR IT.™





MOVE MATERIAL, SPREAD FEED AND KEEP OPERATIONS ON SCHEDULE.

We offer more than a dozen agriculture attachments, all made to keep your operation on task and on schedule. Cat attachments can renew the life of your existing fleet. And they're designed to maximize Cat machine performance so you get more use at a lower cost.



AUGERS



Bore with better efficiency.

Our augers offer different speed and torque options for work in a variety of soils. We've engineered their speed to extract soil efficiently and their torque to prevent stalling in dense ground. Select from a range of auger bits.

Specifications

Attachment Models	Compatibility	Drive Shaft Torque @ Max Pressure		Drive Method
		Nm	(lb ft)	
A14B	CTL, MTL, SSL, CWL	2304	(1700)	Direct Drive
A19B	CTL, MTL, SSL, CWL	4122	(3042)	Single Planetary
A26B	CTL, MTL, SSL, CWL	6830	(5040)	Double Planetary
A7B	MHEX	1105	(815)	Direct Drive
A14B	MHEX	2304	(1700)	Direct Drive
A19B	MHEX	4122	(3042)	Single Planetary
A26B	MHEX	6830	(5040)	Double Planetary
A 26B Pin-on	BHL	6830	(5040)	Double Planetary

BHL: Backhoe Loader
 CTL: Compact Track Loader
 CWL: Compact Wheel Loader

MHEX: Mini Excavator
 MTL: Multi Terrain Loader
 SSL: Skid Steer Loader

BALE SPEARS



Make moving bales simple.

Select from our single or dual spear design, both ideal for removing or placing bales in a stack. Our single-spear models include stabilizers and dual-spear models feature a high backrest for large loads. Spears are easily replaced and frames offer a bolt-on step.

Specifications

Attachment Models	Compatibility	Overall Width		Weight	
		mm	(in)	kg	(lb)
990 mm (39 in) Single Tine	CTL, MTL, SSL	1285	(51)	70	(154)
1245 mm (49 in) Single Tine	CTL, MTL, SSL	1285	(51)	72	(158)
990 mm (39 in) Dual Tine	CTL, MTL, SSL	1407	(55)	118	(260)
1245 mm (49 in) Dual Tine	CTL, MTL, SSL	1407	(55)	121	(266)

CTL: Compact Track Loader
 MTL: Multi Terrain Loader
 SSL: Skid Steer Loader

BRUSHCUTTERS



Clear overgrowth effectively.

Reduce vegetation, brush and trees with an 80 mm (3 in) diameter or less into a coarse byproduct. Select from a range of lengths and widths.

Specifications

Attachment Models	Compatibility	Working Width		Tip Speed		Unit Weight	
		mm	(in)	m/min	(fpm)	kg	(lb)
BR160	CTL, MTL, SSL	1524	(60)	3987-5596	(13080-18360)	431	(950)
BR166	CTL, MTL, SSL	1676	(66)	3130-4395	(10270-14420)	476	(1050)
BR172	CTL, MTL, SSL	1829	(72)	3417-4795	(11210-15730)	499	(1100)
BR272	CTL, MTL, SSL	1829	(72)	4554-5992	(14940-19660)	508	(1120)
BR378	CTL, MTL, SSL	1981	(78)	4176-6032	(13700-19790)	535	(1180)

CTL: Compact Track Loader
 MTL: Multi Terrain Loader
 SSL: Skid Steer Loader

COUPLERS



Move quickly from task to task.

Our Dual Lock™ Pin Grabber Couplers allow operators to change attachments in seconds, increasing job efficiency and enabling one machine to do multiple tasks. We offer two, easy-to-use options: hydraulic (controlled from the cab) and mechanical. And all Cat models include primary and secondary locking systems to ensure what you put on your machine, stays on.

Specifications

Attachment Models	Compatibility	Weight	
		kg	(lb)
Dual Lock™	BHL, MHEX	14-89	(32-195)
Dual Lock™ Tilt	MHEX	112-198	(245-436)
Fusion™	SWL	252-392	(556-865)
Horizontal Pin Lock	CWL	181	(400)
IT - Loader	BHL	117-227	(390-500)
Pin Lock - Hoe	BHL	80-109	(176-240)
Pin Puller	BHL	95-118	(210-260)

BHL: Backhoe Loader SWL: Small Wheel Loader
 CWL: Compact Wheel Loader
 MHEX: Mini Excavator

HEAVY DUTY BUCKETS

Move harsh soils with minimal wear.

Dig, trench or backfill with our heavy duty buckets. They're made to excavate in abrasive soils and move large loads. Select from a range of bucket sizes and teeth.



Specifications

Attachment Models	Compatibility	Width Range		Capacity Range	
		mm	(in)	m ³	(yd ³)
Digging	MHEX	230-270	(9-28)	0.014-0.111	(0.018-0.145)
Ditch Cleaning	MHEX	700-1600	(28-63)	0.027-0.421	(0.035-0.55)
Tilting Ditch Cleaning	MHEX	1000-1600	(40-63)	0.055-0.28	(0.071-0.366)
Heavy Duty	MHEX	300-914	(12-36)	0.05-0.39	(0.065-0.51)
Heavy Duty Capacity	MHEX	300-915	(12-36)	0.082-0.300	(0.107-0.392)
Heavy Duty Rock	MHEX	610-762	(24-30)	0.23-0.31	(0.30-0.405)
Grading	MHEX	1000-1500	(39-59)	0.09-0.52	(0.12-0.68)
Coral	BHL	305-762	(12-30)	0.06-0.19	(0.08-0.25)
Ditch Cleaning	BHL	1219-1524	(48-60)	0.37-0.57	(0.48-0.74)
Heavy Duty	BHL	305-914	(12-36)	0.08-0.44	(0.1-0.57)
Heavy Duty Rock	BHL	305-914	(12-36)	0.07-0.33	(0.09-0.43)
Grading	BHL	1200-1500	(47-60)	0.41-0.52	(0.54-0.68)
Soil Excavation	BHL	457-914	(18-36)	0.18-0.38	(0.23-0.5)
Standard Duty	BHL	305-914	(12-36)	0.08-0.29	(0.1-0.38)
High Capacity	BHL	305-914	(12-36)	0.13-0.46	(0.17-0.60)

BHL: Backhoe Loader MHEX: Mini Excavator

GENERAL PURPOSE BUCKETS

Work with mildly abrasive materials.

Our general purpose buckets are ideal for digging in low-impact, moderately abrasive materials such as dirt, loam, gravel and clay. Select from a range of bucket sizes and teeth.

Specifications

Attachment Models	Compatibility	Width Range		Capacity Range	
		mm	(in)	m ³	(yd ³)
General Purpose	BHL	2262-2434	(89-96)	0.76-1.5	(1.0-2.0)
General Purpose	CTL, MTL, SSL	1524-2134	(60-84)	0.36-0.63	(0.47-0.82)
General Purpose	CWL	1880-2413	(74-95)	0.76-1.38	(1.0-1.80)
General Purpose	TH	1854-2445	(73-96)	0.76-1.0	(1.0-1.3)
General Purpose Performance Series	SWL	2550-2750	(100-108)	1.9-2.9	(2.5-3.8)

BHL: Backhoe Loader MTL: Multi Terrain Loader TH: Telehandler
 CTL: Compact Track Loader SSL: Skid Steer Loader
 CWL: Compact Wheel Loader SWL: Small Wheel Loader

LIGHT MATERIAL BUCKETS



Move more in a single scoop.

Our light material buckets are designed to move high volumes of low-density material such as bedding, dry topsoil, fertilizer, feed and snow.

Specifications

Attachment Models	Compatibility	Width Range		Capacity Range	
		mm	(in)	m ³	(yd ³)
Light Material	CTL, MTL, SSL	1829-2438	(72-96)	0.69-0.93	(0.9-1.22)
Light Material	CWL	1870-2050	(74-81)	0.76-1.53	(1.0-2.0)
Light Material	SWL	2750	(108)	3.10-5.00	(4.00-6.50)
Light Material	TH	2550-2750	(100-108)	1.9-2.9	(2.5-3.8)

CTL: Compact Track Loader SSL: Skid Steer Loader
 CWL: Compact Wheel Loader SWL: Small Wheel Loader
 MTL: Multi Terrain Loader TH: Telehandler

MATERIAL HANDLING BUCKETS



Load and unload with ease.

With a large capacity and optimal shape for loading, our material handling buckets are ideal for stockpiling, carrying, dumping and backfilling.

Specifications

Attachment Models	Compatibility	Width Range		Capacity Range	
		mm	(in)	m ³	(yd ³)
Material Handling	CTL, CWL, MTL, SSL	2134-2591	(84-102)	1.07-1.33	(1.40-1.74)
Material Handling	TH	2418	(95)	1.5	(1.95)

CTL: Compact Track Loader SSL: Skid Steer Loader
 CWL: Compact Wheel Loader TH: Telehandler
 MTL: Multi Terrain Loader

MULTI-PURPOSE BUCKETS



Use one bucket to do the job of many.

Our multi-purpose buckets are one of our most versatile buckets. With a clam design, bolt-on cutting edge and spill guard, they easily doze, grade, level and unload material.

Specifications

Attachment Models	Compatibility	Width Range		Capacity Range	
		mm	(in)	m ³	(yd ³)
Multi-Purpose	BHL	2262-2425	(89-95)	1.0-1.2	(1.3-1.5)
Multi-Purpose	CTL, MTL, SSL	1524-2134	(60-84)	0.3-0.43	(0.39-0.56)
Multi-Purpose	CWL	1880-2413	(74-95)	0.76-1.6	(1.0-2.1)
Multi-Purpose	TH	1829-2418	(72-95)	0.37-1.0	(0.48-1.3)

BHL: Backhoe Loader MTL: Multi Terrain Loader
 CTL: Compact Track Loader SSL: Skid Steer Loader
 CWL: Compact Wheel Loader TH: Telehandler

MATERIAL HANDLING ARMS



Carry and place with precision.

Safely transport non-uniform materials, as well as carry and plant trees or shrubs. Cat material handling arms offer two lift points, each set up to hold a locking hook capable of swiveling 360 degrees.

Specifications

Attachment Models	Compatibility	Retracted Length		Extended Length	
		mm	(in)	mm	(in)
Extendible	BHL, CWL, TH	2007	(79)	3937	(155)
Extendible	SWL	2760	(109)	4137	(163)
		Width w/ Side Step		Maximum Reach	
Fixed Length	CTL, CWL, MTL, SSL, TH	1309	(52)	2134	(84)

BHL: Backhoe Loader MTL: Multi Terrain Loader TH: Telehandler
 CTL: Compact Track Loader SSL: Skid Steer Loader
 CWL: Compact Wheel Loader SWL: Small Wheel Loader

PALLET FORKS



Properly transport palletized materials.

From standard hay bales to stacked feedbags, our pallet forks were designed for stable transportation. Our frame features a tall backboard to secure the load for improved safety and efficiency.

Specifications

Compatibility	Tine Length		Fork Tine Width	
	mm	(in)	mm	(in)
BHL	1067-1372	(42-54)	127	(5.0)
CTL, MTL, SSL	910-1220	(36-48)	100	(4)
TH	1219-1524	(48-60)	100-152	(4-6)
	Tine Length		Carriage Width	
CWL	1050-1829	(41-72)	1397-1550	(55-61)
SWL	1220-1524	(48-60)	1524	(60)

BHL: Backhoe Loader MTL: Multi Terrain Loader TH: Telehandler
 CTL: Compact Track Loader SSL: Skid Steer Loader
 CWL: Compact Wheel Loader SWL: Small Wheel Loader

RIPPERS



Tear up more terrain.

Built to cut through dense dirt, loosen rocky soil and break below the frost layer, Cat rippers are taking on some of the most challenging ground conditions. And because they're made for specific Cat models, they can better transfer machine power into ripping power.

Specifications

Attachment Models (Shank Length)	Compatibility	Width		Width		Tip Radius		Weight		
		mm	(in)	mm	(in)	mm	(in)	kg	(lb)	
490	(19)	MHEX	232	(9.1)	660	(25.9)	650	(26)	45	(99)
676	(27)	MHEX	273	(10.7)	825	(32.4)	810	(32)	61	(134)
861	(34)	MHEX	346	(13.6)	1074	(42.2)	1039	(41)	107	(235)

MHEX: Mini Excavator

UTILITY GRAPPLE FORKS



Transport light material — in less time.

With a series of straight tines, our utility grapple fork can pierce bundles of straw, hay and dried waste. The curved upper jaw holds material on the tines to help retain the mass.

Specifications

Compatibility	Fork Width		Fork Tine Length	
	mm	(in)	mm	(in)
CTL, MTL, SSL	1676-1829	(66-72)	940	(37)

CTL: Compact Track Loader
MTL: Multi Terrain Loader
SSL: Skid Steer Loader

WORK WITHOUT WORRY.

We back our attachments with a one-year warranty and ongoing Cat dealer support. It's another way we're helping protect what you rely on.



COMPATIBILITY



Backhoe Loaders



Compact Wheel Loaders



Mini Excavators



Skid Steer Loaders,
Compact Track Loaders,
Multi Terrain Loaders



Small Wheel Loaders




Telehandlers



For full specs and information on any of these attachments, please visit our website at www.YanceyAg.com.

OUR LOCATIONS



www.YanceyAg.com



Albany 800.768.2892	Calhoun 800.752.9804	McDonough 855.901.0100	Washington 888.678.3211
Augusta 800.446.5131	Columbus 800.633.5240	Savannah 800.755.8382	Waycross 888.948.2443
Austell 800.282.1562	Dacula 800.545.2945	Statesboro 888.764.6506	
Brunswick 800.299.5010	Macon 800.633.5180	Valdosta 800.755.6841	



BUILT FOR IT.™



© 2015 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, BUILT FOR IT, their respective logos, "Caterpillar Yellow," the "Power Edge" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.